

ErrorException

PHP 8.1.19 9.48.0

Undefined variable \$yrAlias

Expand vendor frames

Illuminate \ Foundation \ Bootstrap \
HandleExceptions : 277
handleError

1 vendor frame

App \ Models \ OrdersModel : 277
getOrderNo

App \ Repositories \ OrderPrivate : 78
getOrderNo

App \ Repositories \ OrderRepository : 274
generateOrderNo

App \ Http \ Controllers \ OrderController : 55
generateOrderNo

45 vendor frames

public / index.php : 52
[top]

app / Models / OrdersModel.php : 277

```
262         $ordSuffix = 'EST/ORD/';
263         $lastId = 0;
264         $query = DB::table($this->table.' ord')
265             ->select('ord.ORDER_NO')
266             ->leftJoin('OMS_JOBS j', 'j.ID', '=', 'ord.JOB_ID')
267             ->whereNotNull('ord.ORDER_NO')
268             ->whereBetween('ord.ORDER_DATE', [$startDate,$endDate])
269             ->where('ord.ORDER_NO', 'LIKE', '%'.$ordSuffix.'%')
270             ->where('j.ORDER_BY_ID',1)
271             ->orderBy('ord.ORDER_NO', 'DESC')
272             ->limit(1)
273             ->get();
274         if(count($query) >0) {
275             $orderNo = $query[0]->order_no;
276             $arr = explode('/', $orderNo);
277             if($arr[2] == $yrAlias){
278                 $lastId = $arr[3];
279             }
280         }
281         return $lastId;
282     }
283 }
284
285 public function getOrderListSP1(Request $request, $procId){
286     $service_request_id = base64_decode($request->session()->get('service_request_id'))
287     $job_process_id = $procId;
288     $rec1 = null;
289     $rec2 = null;
290     $rec3 = null;
291     $rec4 = null;
```

REQUEST

Headers

Body

APP

Routing

CONTEXT

User

Versions

REQUEST

http://10.40.20.22/cesc_estate_oms_oracle/public/generate-order-no POST

```
curl "http://10.40.20.22/cesc_estate_oms_oracle/public/generate-order-no" \
-X POST \
-H 'cookie: XSRF-TOKEN=eyJpdjI6IndHTUxGTE1rQ2pNNzB0Yn1Bc3oyUUE9PSIsInZhbnV1Ijoir21sZ1QvWWg1b1h5NzVGWStwdWw' \
-H 'accept-language: en-US,en;q=0.9' \
-H 'accept-encoding: gzip, deflate' \
-H 'x-forwarded-for: http://10.40.20.22/cesc_estate_oms_oracle/public/generate-order-no'
```

Headers

cookie	XSRF-TOKEN=eyJpdjI6IndHTUxGTE1rQ2pNNzB0Yn1Bc3oyUUE9PSIsInZhbnV1Ijoir21sZ1QvWWg1b1h5NzVGWStwdWw
accept-language	en-US,en;q=0.9

accept-encoding	gzip, deflate
referer	http://10.40.20.22/cesc_estate_oms_oracle/public/service-request-view?t=order&st=confirm
accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,
user-agent	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome
content-type	application/x-www-form-urlencoded
origin	http://10.40.20.22
upgrade-insecur...	1
cache-control	max-age=0
content-length	84
connection	keep-alive
host	10.40.20.22

Body </>

```
{
  "_token": "QytLyLYjfcvaQ1xAeqTaA6iTTNa3jE4EemplaxQG",
  "order_id": "17914",
  "st": "confirmatory_order"
}
```

APP

Routing ⚙

Controller	App\Http\Controllers\OrderController@generateOrderNo
Route name	generate-order-no
Middleware	web
	auth

CONTEXT

User 👤

```
{
  "id": 15,
  "role_id": "1",
  "name": "Estates 2",
  "username": "est2",
  "password": "12345678"
}
```

Versions 📖

Php Version	8.1.19
Laravel Version	9.48.0
Laravel Locale	en
Laravel Config C...	✗ false

App Debug

✓ true

App Env

local

2 QUERIES

10:44:24 AM

👍 1.88MS

📄 PRODUCTION

```
SELECT * FROM (SELECT * FROM "USERS" WHERE "ID" = ?) WHERE rownum = 1
```

10:44:24 AM

👍 83.06MS

📄 PRODUCTION

```
SELECT * FROM (SELECT "ORD"."ORDER_NO" FROM "OMS_ORDERS" ord LEFT JOIN "OMS_JOBS" j ON "J"."ID" = "ORD"."JOB_ID" WHERE "ORD"."ORDER_NO"
```